



YOUR SAFETY IS OUR GOAL!



Main Shop

Opp. Rafee Hotel, Al Burj Street,
Al Tawakkal Building, Shop No 12
Deira, Dubai. Tel: +971 4 224 3320

Branch Shop

Al Burj Street, Star Building,
Shop No 7 & 8, Deira, Dubai.
Tel: +971 4 259 0330

Warehouse

Near Autotrack, Al Manara Exit 43, 8th
Street, W/H No 1,2,3, Al Quoz 3, Dubai.
Tel: +971 4 339 3989, +971 58 107 2648

SMB اس ام بي

INTERNATIONAL GENERAL TRADING L.L.C

للتجارة العامة العالمية ش.م.م



ABOUT US

By the grace of Allah and the blessings of our beloved
Syedna Mohammed Burhanuddin Saheb (RA) &
Syedna Aali Qadr Muffadal Saifuddin Saheb (TUS),

SMB TRADING LLC – established in February 2001 – is currently
celebrating **21 years** in the safety business.

WHO ARE WE?

SMB Trading LLC is operated by a family, giving it a very personal touch in its approach to the customers. The establishment of the company was done with a powerful vision to cater to every industry with **Personal Protection Equipment** requirements. We have recently started the manufacturing of helmets and ladders in the UAE. **Taha Safety, Workman** and **Armour Production** are our registered trademarks. We are distributors for well known brands such as Delta Plus, Vizwell, and many others. Our main customers are industries and companies in the construction, oil, marine, automotive, and mining sectors. We hope to always serve you in the best way possible.

OUR STRENGTH

We pride ourselves on serving our customers and helping them fulfill their goals. Our strong belief to serve our products of high quality and reasonable prices with 100% honesty has proven our worth, and given us an edge over our competitors! Our excellent market reputation and professional approach makes us the most preferred and trusted company in our field. We carry a large inventory, enabling us to meet the customer requirements on demand; when it counts most. Our name, on a whole, resembles high quality products in the field of Personal Protection Equipment (PPE).

YOUR SAFETY IS OUR GOAL!



TAHA T/C COVERALL
135 gsm Poplin material



TAHA TWILL COVERALL
185 gsm Twill material



WORKMAN TWILL 2 PC SUIT
185gsm Twill material



WORKMAN T/C 2 PC SUIT
130gsm Poplin material



AP 2 PC SUIT
185 gsm Twill material



POWER COVERALL
80/20 Polyester Cotton 240 gsm Twill material



POWER 2 PC SUIT
80/20 Polyester Cotton 240 gsm Twill material



RIPSTOP COVERALL
65/35 Polyester Cotton 240 gsm Ripstop material



NEO COVERALL
65/35 Polyester/Cotton, 267gsm



PROTEX FR COVERALL
180gsm 55:43:2 Modacrylic:Cotton:Carbon Fibres



AQ COVERALL PPE
240gsm 65/35 Polyester/Cotton



TAHA TC LABCOAT
130gsm Poplin material



AP TWILL LABCOAT
185gsm Twill material





SJ SOLID 4 LINE

120gsm Polyester knitted fabric.



SJ WT002

120gsm Polyester mesh fabric.



SJ 2 COLOUR 4 LINE

120gsm Polyester knitted fabric.



SJ LUMINOUS

120gsm Polyester knitted fabric.



SJ 2 LINE CLOTH

100 gsm polyester knitted fabric.



SJ 2 LINE CLOTH 60gsm

60 gsm polyester knitted fabric.



SJ 4 LINE PVC

120gsm Polyester knitted fabric.



SJ 4 LINE CLOTH

120gsm Polyester knitted fabric.



SJ WT015 YOG

120 gsm polyester knitted fabric & 120 gsm mesh.



SJ 21 HIGH REF

120gsm Polyester knitted fabric.



SJ 22 3M

120gsm Polyester knitted fabric.



SJ 4 LINE ID POCKET

120gsm Polyester knitted fabric.



SJ SOLID 2.0 PPE

120gsm Polyester fabric. 4 line cloth reflective tape.



DP DARWIN

Winter Parka waterproof seams, fixed hood, adjustable waist and bottom of garment with drawstring.



GL 05 PARKA JACKET

100% Polyester 300D Oxford with Polyurethane coating.



VWJK01 PARKA JACKET

100% Poly 300D Oxford with Polyurethane Coating. 180 gsm Polyester quilt lining.



VWJK04 BOMBER JACKET

100% Poly 300D Oxford with Polyurethane Coating. 180 gsm Polyester quilt lining.



SJ 51 POLO SHIRT

100% polyester material.



SJ 52 POLO SHIRT

100% polyester material.



SJ 53 POLO SHIRT

100% polyester material.



MIX REFLECTIVE TAPE

Reflective tape, Mix type.
Size: 2" x 50m



REFLECTIVE PVC TAPE

Reflective tape Florescent.
Size: 1" x 50m



REFLECTIVE PVC TAPE

Reflective tape Florescent.
Size: 2" x 50m



HEAT TRANSFER TAPE

Reflective Heat Transfer tape.
Size: 2" x 50m



RAINCOAT POLY DW01
0.18mm, 170 Tafetta Polyester /PVC material.

RAINSUIT POLY DW02
0.18mm, 170 Tafetta Polyester/ PVC material.

RAINCOAT POLY REF DW03
0.18mm, 170 Tafetta Polyester/ PVC material with 1 inch reflective tape.

RAINSUIT POLY REF DW04
0.18mm, 170 Tafetta Polyester/ PVC material with 1 inch reflective tape.



RAINSUIT OXF REF DW05
Oxford material with 1" reflective tape.

RAINSUIT POLY+ LINING DW06
170 Tafetta Polyester/PVC material. Lining with 2 lines of 1" reflective tape.

RAINSUIT FLOR. DW08
170 Tafetta Polyester/PVC material. 2 lines of 1" reflective tape on the back.

RAINCOAT POLY YM01
170 Tafetta Polyester/PVC material. 1 inch reflective tape on the back.



RAINSUIT POLY YM02
170 Tafetta Polyester/PVC material .1 inch reflective tape on the back.

RAINSUIT OXF YM03
OXFORD MATERIAL. 1 inch reflective tape on the back.

RAINCOAT PVC YM04
PVC material – hooded raincoat.

RAINSUIT OXF FLOR. REF YM05
Florescent Oxford Material. 0.26mm thickness 1inch reflective tape.



YM 06
EVA material. Attached hood with string. Waterproof & flexible.



DISPOSABLE WEAR



WK DC 1040

Polypropylene non woven 40 gsm.



WK DC 2055

55 gsm Type 5/6, SMS



WK DC 3055

55 gsm Microporous spunbond laminate material. Type 5/6.



WK DC 4063

63 gsm. Microporous spray tight spunbond polyethylene.



WK DDC 40

Polypropylene non woven 40 gsm.



DT117

50% polypropylene, 50% polyethylene.



DT215

Overall with elasticated hood. 5/6 type. Non woven 100% SMS.



DT300

Overall with three-sided elasticated hood. Non woven.



DUPONT TYVEC

Disposable Coverall. 3 piece hood, external stitched seams, Tyvek zipper with storm flap.



WK BC 10

Non-woven fabric disposable @Bouffant Cap.



WK MC 10

Poly-propylene disposable mop cap.



PO 110

Non-woven polypropylene.



PO 106

Overall with elasticated hood. Non-woven polypropylene 30 g/m². Zip fastening.



WK SC PE

PPE material.



WK SC 30

Non-woven Fabric.



SURCHPE

Polyethylene 30µ.



3 PLY MASKS

INDIA



CHINA

WORKMAN®



ARROW SHOES

Upper : Synthetic leather.
Lining: Black, Stitching: White
Sole : Pvc moulded sole with metal toe



DRACO SHOES

Upper : Synthetic leather.
Lining and stitching : Yellow
Sole : Pvc moulded sole with metal toe



DL 31 SHOES

Shoes: High ankle, Barton Leather Black.
Orange Inner lining and Stitching. PVC
Sole, Iron toe, and plate.



LY 22 ALGOL SHOES

Upper: Brown suede leather. Sole: PU, oil,
water resistant with steel toe and plate.
Construction: PU INJECTION.



LY 23 ALTAR SHOES

Upper: Brown suede leather. Sole: PU, oil,
water resistant with steel toe and plate.
Construction: PU INJECTION.



WK QA 85 SHOES

Upper: Breathable genuine leather. Sole:
Black/Grey. PU outsole with broad steel
& flexible steel plate. Lining: Orange.
Insole: Padded.



WK QA 87 SHOES

Upper: Barton print synthetic PU leather.
Sole: Double density Black/Grey. PU
outsole with broad steel toe & steel plate.
Lining: Red. Insole: Padded.



WK QA 88 SHOES

Upper: Embossed action leather.
Sole: Double density. PU outsole with
broad steel toe & midsole. Lining: Grey.
Insole: Padded.



WK LZ 10 CIERA SHOES

Split embossed leather. High ankle
shoes. Standard: SIP, PU outsole.



LY 20 ACRUX SHOES

CE S3, Upper: Cow leather. Lining : Grey.
Sole : PU,oil,water resistant with steel
toe and plate. Construction: PU INJECTION.



LY 25 ARIES SHOES

Upper : Cow leather. Lining: grey mesh, breathable
and comfortable. Sole: PU, oil, water resistant
with steel toe and plate. Construction: PU INJECTION



WORK TOES LEATHER SHOES

Gents leather safety shoes with
steel toe cap Available: Long &
Half shoe



STRONG ARM QA 71 SHOES

High cut shoes with black embossed action leather. Grey inner, iron toe and midsole. Standard: SIP, black PU outsole.



TALAN HIGH ANKLE SAFETY SHOES

SIP Shoes Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.



TALAN RIGGER BOOTS

SIP Shoes Upper: Pigmented split leather. Outsole: Injected, dual density PU. Insole: Removable Eva steel toe and steel mid sole plate, anti static, anti slip, oil resistant.



HECKEL STOPAC S1P SAFETY SHOES

Material: Grained Leather Gusset. Sole: Rubber. Exceptional grip, oil & Hydrocarbon resistant. Resistant to Hydrolysis, HRO, metal-free polycap SS midsole.



DEFENDIX SHOES

SIP SHOES Available in low and high cut.



WK RAINBOOT NILE

PVC Rainboots. Upper: PVC Lining: Easily dried polyester fabric Outsole: PVC Color: Black, Green,



WORKMAN RAINBOOT PPE

PVC Rainboots. Color: White Upper: PVC. Lining: Easily dried polyester fabric. Outsole: PVC. Toecap: Without Steel toe. Insert Plate: Without Steel plate.



WORKMAN RAINBOOTS PPE

PVC Rainboots. Color: Black & Green. Upper: PVC. Lining: Easily dried polyester fabric. Outsole: PVC. Toecap: Without Steel toe. Insert Plate: Without Steel plate.



AMAZONE S5 SRA BOOT

Upper: PVC. No Lining. No Insole. Outsole: Injected PVC/Nitrile.



S5 SAHARA GUMBOOT STEEL TOE + MIDSOLE

PVC Gumboots. Upper: PV. Lining: Easily dried polyester fabric. Outsole: PVC. Safety: With steel toe and midsole plate. Insert: Steel Plate



S4 WORKMAN GUMBOOTS STEEL TOE

PVC Gumboots. Upper: PVC Lining: Easily dried polyester fabric. Outsole: PVC. Toecap: With steel toe. Colours: Green & Black



S5 WK GUMBOOT STEEL TOE MIDSOLE

Upper: PVC. Lining: Easily dried polyester fabric. Outsole: PVC. Toecap: Steel. Insert Plate: Steel plate. Colours: Yellow, Green & Black



JUMPER3 S1P SRC

S1P, Upper: Pigmented split leather.
Lining: Polyamide absorbing. Outsole:
Injected, dual density PU. Black.



JET3 S1P SRC

S1P, Upper: Pigmented split leather.
Lining: Polyamide absorbing. Outsole:
Injected, dual density PU. Black.



JUMPER3 S3 SRC

S3, Upper: Waterproof pigmented split
leather. Lining: Polumide absorbing.
Outsole: Injected, dual density PU. Black.



MIAMIS1P SAFETY SHOES

Upper: Polyester and cotton. Insock:
Removable premolded – polyester on
EVA. Midsole: injected – Single density PU.



ASTI S1P SAFETY SHOES

Upper: Suede split leather and polyester
mesh. Lining: Polyester. Insock: Removable
premolded – Polyester on EVA. Outsole:
Injected – Dual-density PU. Non metallic
footwear.



PHOENIX S3

Upper: Pigmented split leather, S3 water
resistant treatment. Lining: Polyamide
mesh. Insock: Removable premolded –
Polyamide on EVA. Outsole: Injected – PU
bi-density. Non metallic footwear.



PHOCEA S3

Upper: Pigmented split leather, S3.
Lining: Polyamide mesh. Insole:
Removable preformed- Polyamide
on EVA. Outsole: Injected – PU bi-density.



KRYPTON EH

Upper: Water-repellent pigmented split
leather. Lining: Polyester fibre. Insole:
Removable premolded – Polyester on
PU. Midsole: Injected – Deltarubber.
Outsole: Rubber Nitrile. Non-metallic footwear.



KATANA EH

Upper: Water-repellent pigmented split leather.
Lining: Polyester fibre. Insole: "Deltaplus Air Flow
System" – Removable premolded – Polyester on
PU. Midsole: Injected – Deltarubber. Outsole:
Rubber Nitrile. Non-metallic footwear.



BROOKLYN S3 SRC

Upper: Suede split leather (cowhide), S3 water
resistant treatment with front rubber reinforcement.
Lining: Polyester non-woven and knitted mesh.
Insock: Removable pre-molded – Polyester on
EVA. Outsole: Cemented – Phylon. Outsole: Rubber.
Non metallic shoe.



CAMARO S3 SRC

Upper: Full grain leather, S3 water resistant treatment,
with TPU toe cap. Lining: Polyamide Cambrelle
absorbing. Insole: Removable preformed – Polyamide
Cambrelle on EVA. Midsole: Injected – Panorubber®.
Outsole: Rubber Nitrile. Non metallic footwear.



MIAMI S2 SRC

Upper: Microfibre/PU. Insock: Removable
premolded – polyester on EVA. Midsole:
Injected – Single density PU.



SAGA S3 SRC

Upper: Nubuck leather, S3 water resistant treatment. Lining: Polyester. Insole: Removable-polyester on EVA. Outsole: Cemented - PU/Rubber.



COMO S1 LOW SHOES

Upper: Suede split leather and polyester mesh. Lining: Polyester. Insock: Removable premolded - Polyester on EVA. Outsole: Injected - Single density PU.



RIMINI S1P SRC

Upper: Suede split leather and nylon mesh (breathable). Lining: Polyamide absorbing. Insock: Removable premolded - Polyester on EVA. Outsole: Injected - Dual-density PU.



DELTA SPORT S1P SRC

Upper: Injected PU on mesh. Lining: Polyester. Insock: Removable premolded - Polyester on EVA. Outsole: Cemented - Phylon. Outsole: Rubber Nitrile. Non metallic footwear.



NEW ARRIVALS

WORKMAN®




ATLAS S3 SHOES

S3 standard smooth leather. Mesh lining. EN fibre glass toe cap. 4mm Kevlar midsole. PU sole.



COMET S3 SHOES

S3 standard . Cow split leather. Mesh lining. EN fibre glass toe cap. EN steel plate. PU sole.



HELIX S3 SHOES

S3 standard smooth leather. Mesh lining. EN fibre glass toe cap. 4mm Kevlar midsole. PU sole.



PLUTO S1P SHOES

S1P standard Suede Leather. Mesh lining. EN composite toe cap. EN Kevlar midsole. PU sole.



TITAN S1P SHOES

S1P standard. Fly knitting upper. Mesh lining. EN steel toe cap. EN steel plate. PU sole.



VESTA S1 SHOES

S1 standard. Action nubuck leather. Mesh lining. EN steel toe cap. PU sole.

AVAILABLE ON ORDER



SAFETY SHOES



FBN49

Cowhide full grain leather. Glove: Cowhide. Thickness of between 0.9 and 1.1 mm.



VENICUT50 (VEUCUT50/VEUCUTDX0)

High performance polyethylene fibre. Cowhide leather on palm and fingertips. Gauge 10.



SAFE & TOUCH VV905NO

Polyester/elasthane back. Artificial leather palm. Cuff in neoprene.



VENICUT33

Nitrile on cotton jersey lining. 6-cm canvas safety cuff. Fully coated.



VENICUT41GN (VENICUTC01)

Foam nitrile coating on palm and fingertips. Reinforcement between the thumb and index finger. 10 cm cuff. Gauge 15.



VENICUT43

High performance fibre. Nitrile coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



VENICUT53NO (VEUCUD03)

High performance fibre. Nitrile micro-foam coating on palm and fingertips. Gauge 15.



VE712GR

Nitrile coating on palm and fingertips. Gauge 13.



VE713

100% polyamide. Double nitrile coating on palm, fingers and half back. Gauge 13.



VE722

100% polyester. Foam nitrile coating on palm and fingertips. Gauge 13.



VE726

Polyamide/Spandex, Nitrile/Polyurethane coating on palm and fingertips. Gauge 15.



VE727

Polyamide/Spandex, Nitrile/Polyurethane coating on palm and fingertips. Nitrile dots on palm. Gauge 15.



VE801

Nitrile with cotton flock lining. 0.4mm, 33cm.



VENICUT 42

Polyurethane coating on palm and fingertips. Reinforcement between the thumb and index finger. 10 cm cuff. Gauge 15.



VV750 HERCULE

Inside: 100% acrylic gauge 7. Outside: 100% polyamide gauge 13. 3/4 foam nitrile coating on palm, fingers and half back.



VV835 CHEMSAFE

Double nitrile coating on polyamide lining. Third rough foam nitrile coating on palm and fingertips. Length: 35 cm. Thickness: 1.15mm on cuff - 1.30 mm on palm.



EOS NOCUT VV910

High performance polyethylene support. Thermoplastic (TPR) reinforcement on back and fingertips. Smooth nitrile coating/foam nitrile on palm and fingertips. Embossed inside reinforcement on palm.



VENICUT 52 (VECUT52)

High performance polyethylene fibre. Latex coating on palm and fingertips. Gauge 10.



VE630

100% polyester. Latex coating on palm and fingertips. Gauge 13.



VENICUT 44

High performance fibre. Polyurethane coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



THRYM VV736

Inside: 100% acrylic gauge 10. Outside: 100% polyamide gauge 15. Full latex coating of the hand. Second foam latex coating on palm and fingertips.

PVC GLOVES



P4401 CHEMICAL

100% cotton, jersey lining with smooth finish PVC coating.



PVCC400

Chemical PVC. PVC on interlock cotton lining. Length: 40 cm. Thickness: 1.20-1.40 mm.



P4301

Full PVC on interlock cotton lining. Knitted wrist. Coating: 100% PVC dipped. Wrist: cotton knit.

30cm
35cm
40cm

LEATHER GLOVES



ORANGE CUFF

Single palm, Cowhide split leather with twill cotton back, rubberised cuff.



RED CUFF

Single palm, Cowhide split leather with twill cotton back, rubberised cuff.



SW BROWN

Full hide, Cowhide split leather with twill cotton back, rubberised cuff.



DOUBLE PALM

High quality cowhide split leather with reinforced double palm and twill cotton back, rubberised cuff.



WELDING RED

16" A-grade cowhide split leather with pipin and cotton lining.



WELDING YELLOW

16 inches A-grade Cow hide split leather with pipin and cotton lining.



COWHIDE LEATHER

High quality cowhide grain leather palm and back split leather. Tig welding gloves. 15" size.



FNG GOAT LEATHER

Driver gloves FNG Goat leather.



KAVACH ELECTRIC 16"

Treated, dipped pure rubber gloves. Voltage: 5kv, 11kv, 15kv, & 33kv.



KNITTED AND DOTTED GLOVES



AG2550

550gm weight. 10G T/C. White bleached knitted gloves.



SY7102

550gm weight. 10G T/C. Naturally coloured knitted gloves.



GY2550

550gm weight. 10G T/C. Grey knitted gloves.



DAG2550

10G T/C. White bleached knitted gloves, blue PVC dots coated on a single side.



DDAG2550

10G T/C white bleached knitted gloves, blue PVC dots coated on both sides.



BLUE ON BLUE DOUBLE DOTTED

7G T/C. Navy knitted gloves, blue PVC dots coated on both sides.



PDD6103

10G T/C Natural colour knitted gloves with PVC dots coated on a single side.



PDD6103

10G T/C Natural colour knitted gloves with PVC dots coated on both sides.



CUT RESISTANT GLOVES



H1101

10 gauge cut level 5. Heavy duty latex coated for puncture resistance, black latex crinkle.



H2101

13 gauge cut level 5. Nitrile coated. Black nitrile smooth finish.



H3101

13 gauge cut level 5. HPPE black PU.

LATEX DIPPED GLOVES



L1101

10G High grade yarn, latex coating. Crinkle finish.



L1202

10GT/C liner, best quality natural latex coated, Crinkle surface finish.



L1305

7G Acrylic liner, napping lining, natural latex coated, crinkle surface finish.



L1501

10G High grade yarn, latex coating. Crinkle finish.



K1101

Kelvar shell heat resistant blue latex quoted. 10 gauge Kelvar shell, blue latex crinkle.



L1803

Pink latex gloves on Cotton Liner support with uncoated back. Latex rough-textured on cotton Interlock lining. Knitted wrist. Ventilated back.



L2401

10G High grade yarn, latex coating. Crinkle finish.



L7100

Granular finish latex dipped 27cm. Interlock shell. High resistance to mechanical and chemical risks.



L8000

7G Acrylic liner, napping lining, natural latex coated, crinkle surface finish.

SPANDEX GLOVES



N2501

Spandex shell micro-foam nitrile coated. 15G grey nylon.



N2511

Spandex shell micro-foam nitrile coated with nitrile dots. 15G grey nylon.



N2521

15G white nylon, spandex shell, grey lunar foam nitrile.

NITRILE



N1501

13G white poly-light green, nitrile smooth finish.



N2101

13G U3 polyester shell, nitrile coating smooth finish.



N2103

Polyester knitted gloves/nitrile palm. 100% polyester 15G.



N1511

13G U3 polyester shell, nitrile smooth finish.



N2404

Knitted polyester glove - Yellow Nitrile foam coating palm. White polyester shell 13G.



N2301

Cotton jersey gloves, nitrile coated safety cuff.



N2401

Knitted polyester glove - Light blue Nitrile foam coating palm. White polyester shell 13G.



TAHA CHEM

Nitrile with cotton flock lining. Length: 33cm. Oil Resistant.



PU GLOVES



PU 1201

13G nylon shell, PU coating.



PU 3105

13G Black nylon shell, black pu coating.



PU 3106

13G nylon shell, PU coating.



M1 PUSH BUTTON HELMET
HDPE safety helmet, robust design.



M2 TEXTILE HARNESS HELMET
HDPE safety helmet, robust design.



WK HELMET
HDPE safety helmet, sleek design.



3 LINE HELMET
HDPE safety helmet, sleek design.



ZICRON HELMET
HDPE helmet shell and inner fittings of LDPE.



QUARTZ HELMET
High density polypropylene safety helmet.



DIAMOND HELMET
ABS safety helmet.



GRANITE HELMET
ABS safety helmet. Mountain helmet style. Without visor for the best practical vision.



VE AIR COLTON CAP
Polyurethane-coated polyamide lined with polyethylene.



BUMP CAP

Polyurethane-coated polyamide. Lined with polyethylene and comfortable EVA foam.





WK FS 5001 ASTER
PC face shield.



WK FS 5002 BLOOM
HDPE head gear PC face shield.



WK FS 5003 CLARY
PMMA mounded with excellent viewing.



BALBI 2
Face shield with brow protection viewer.



WK WS 2004 TAIWAN TYPE
Welding mask high quality PP material.



WK WS 3001 AMERICAN TYPE
Welding mask high quality PP material.



WK WS 3003
Welding mask high quality PP material.



M6300 JUPITER
Thermo-plastic elastomer half mask.



M6400 JUPITER
Thermo-plastic elastomer full mask.



NORTH 550030
Thermo-plastic elastomer half mask.



NORTH 54001
Thermo-plastic elastomer full mask.



WK CM1001S
Single-Tank Chemical mask.



WK CM1002D
Double-Tank Chemical mask.



WK DM1003S
Single-Tank Dust mask.



WK DM1004D
Double-Tank Dust mask.



WK-EC-1001

37dB disposable polyurethane earplugs. Box of 200 pairs.



WK-EC-1001C

37dB disposable polyurethane earplugs with plastic cords. Box of 100 pairs.



WK-EC-2001

37dB disposable silicone earplugs. Box of 200 pairs.



WK-EC-2001C

37dB disposable silicone earplugs with plastic cords. Box of 100 pairs.



WK-EC-2001C + BOX

37dB disposable silicone earplugs with plastic cords. Box of 80 pairs.



WK-EC-1005C

35dB polyurethane earplug + PVC/Nylon Cord.



WK-EC-2018C

33dB pure silicone + PP earplugs.



WK-ED-250

Earplug dispenser with the base. PU+Plastic. 34dB.



WK-ED-500

Earplug dispenser with the base. PU+Plastic. 34dB.



CONIC 200

Polyurethane earplugs Ø12mm. 37dB earplugs.



CONICCO 200

Ø12mm. Polyurethane earplugs with plastic cords. 37dB earplugs.





INTERLAGOS

Ear defenders with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM).



DP SUZUKA FOR HELMETS

27 dB Ear defender for safety helmets.



WK-FM-2E

Cap-Mounted earmuffs with ABS cups and plastic arms. 105dB.



WK-FM-3

Plastic headband earmuff with ABS cups. 34dB.



WK EM 5001B ECONOMY

28 dB Ear defender with ABS and synthetic foam cups.



WK EM 5002A LUXURY

30 dB Ear defender with ABS and synthetic foam cups.



WK EM 5003 ECO

25 dB Ear defender with polystyrene (PS) and synthetic foam cups.



WK EM 5005

29 dB Ear defender. Super economic style. Headband earmuffs.



FS 09 HOME KIT

First aid kit fit for home, office, vehicle use. The plastic box is ideal choice for storing small medical items due to its light weight, large capacity and handiness.



FS 013 HOME CARE KIT

First aid kit fit for home, office, vehicle use.



FS 015 EURO KIT

First aid kit plastic box with assorted items typically for office use.



FS 018 OFFICE KIT

First aid kit made of strong ABS plastic. Easy to clean, dust proof. Well organised partitions with 2 swivel catches for security and with wall bracket.



FS 033 MEDICAL KIT

First aid kit polypropylene box with wall bracket, swivel catches and handle.



FS 037 MULTI KIT

First aid kit made of strong ABS plastic. Easy to clean, dust proof. Well organised partitions with 2 swivel catches for security and with wall bracket.



FS 051 INDUSTRY KIT

First aid kit made of high class design in white color with three compartments.





WK FFP1

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment.



WK FFP1 VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve.



WK FFP1 CARBON VALVE

Box of 20 non woven carbon synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve.



WK FFP1 FLAT VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP2

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP2 VALVE

Box of 10 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP2 FLAT VALVE

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP2

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



WK FFP3 VALVE

Box of 10 non woven synthetic fibre disposable moulded masks. FFP3. Nose clip for adjustment. Wide adjustable straps.



WK KN95 FLAT

Box of 50 KN95 flat masks. Nose clip for adjustment.



KN95 FOLDABLE MASKS

Box of 20 KN95 foldable masks. Nose clip for adjustment.



WK FACE MASK

Box of 50 disposable face masks. Face masks with elasticised ear loops and metal strip for nose.



FFP1 M1100

Box of 20 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. .



FFP1 VALVE M1100V

Box of 10 non woven synthetic fibre disposable moulded masks. FFP1. Nose clip for adjustment. High performance exhalation valve.



FFP2 M1200

Box of 20 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. .



FFP2 VALVE M1200V

Box of 10 non woven synthetic fibre disposable moulded masks. FFP2. Nose clip for adjustment. High performance exhalation valve.



FFP2 VALVE M1200VBC

Box of 10 non woven synthetic fibre disposable masks. FFP2. Nose clip for adjustment. .



FFP2 VALVE M1204V

Box of 10 non woven synthetic fibre disposable moulded masks. FFP2.Mask with 4 foldable parts suitable for all faces. Foam edge under nose clip.



FFP3 VALVE M1300V

Box of 5 non woven synthetic fibre. disposable moulded masks. FFP3 with valve. Nose clip for adjustment. Wide adjustable straps.



FFP3 M1300VB FOLDABLE

Box of 10 non woven synthetic fibre disposable masks FFP3. Nose clip for adjustment. High performance exhalation valve. Hygienic individual plastic bag.



VENUS V44++

Flat fold 'C' style. Dotted pattern edges. Embedded nose clip. Latex free knitted textile elastic. Stapled outside filtered media. NOISH approved.





WK SG 3001

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 1.6 mm.



WK SG 3002

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 2.2 mm.



WK SG 3003

PC frame, Adjustable temple buckles. Absorbs harmful UV. Anti scratch. 2.2 mm.



WK SG 3004

One piece design with perfect view. PC lens. Absorbs harmful UV. Anti scratch. 2.2 mm.



WK SG 3005

Cushioned bridge and temples. Lens PC. Absorbs harmful UV. Anti scratch. 1.6 mm.



WK SG 3006

Light weight frameless design. Lens PC material.



WK SG 3007

Light weight frameless design. Lens PC material. Absorbs harmful UV. Anti scratch.



WK SG 3008

Frameless design. Lens PC material. Protuding for extra protection. Absorbs harmful UV. Anti scratch.



WK SG 3009

Black frame with lens. PC material with peripheral protection. Absorbs harmful UV. Anti Scratch.



WK SG 3010

Frameless design. Lens PC material. Absorbs harmful UV. Anti scratch.



WK SG 3011

Black frame with lens. PC material with peripheral protection. Cushioned bridge and temples. Absorbs harmful UV. Anti Scratch.



WK SG 3012

Light weight frameless design. Lens PC material. Absorbs harmful UV. Anti scratch.



WK SG 3013

Frameless design. Lens PC material. Duo coloured. Absorbs harmful UV. Anti scratch.



WK SG 2001

Flexible PVC frame seals tightly to the face. PC lens. Antifog, resist particles & liquid splashing.

WK SG 2002 (ANTI FOG)



WK SG 2003 CROW

Compact safety goggles. Clear Lens.



WK WG 1001

Single lens structure. Supple PVC frame. Can go together with eye glasses.



WK WG 1002

Flip up front design. Flexible PVC frame. Ventilating. Clear & Black PVC lens for different tasks.



WK SG71003

Polycarbonate single lens spectacles. Adjustable and tilting arms.



WK SG71006

Polycarbonate single lens glasses. Soft flat spatula type arms. Integrated polycarbonate nose piece.



WK SG71012

Lens PC material. Integrated polycarbonate nose piece. Absorbs harmful UV. Anti scratch.



WK SG71042

Clear carbonate goggle. Indirect ventilation. Wide elastic strap. Panoramic screen with non-reflective effect.



WK SG71046

Len PC material. Unique cushioned bridge and temples. Absorbs harmful UV. Anti scratch.



WK SG71052

Polycarbonate goggles. Indirect ventilation. Wide elastic strap. Panoramic screen with non-reflective effect.



IRAYA

Polycarbonate glasses. Sport design. Polycarbonate frame for better comfort and durability. Available in clear & smoke lens.



DP GALERVI

Polycarbonate goggles. Indirect ventilation. PVC & Nylon frame. Wide elastic strap. Panoramic screen. Can be worn with glasses.



DP MURIA 2

Clear carbonate goggle. Direct ventilation. Textile elastic strap. Flexible PVC frame.



DP PACAYA

Polycarbonate single lens glasses. Integrated polycarbonate nose piece. Adjustable Nylon arms. Side protection.



DP BRAVA

Polycarbonate single lens glasses. Soft flat spatula type arms. Integrated polycarbonate nose piece. Side protection.



DP KILIMANJARO

Polycarbonate single lens glasses. Adjustable Nylon arms. Side protection. Weight 32gm.



DP EGON

Ergonomic Polycarbonate lens. Sport look. Twin material arms. Soft TPE nose piece.



DP FUEGO

Clear carbonate single lens glasses. Wrap around design. Accessory for safety helmets.



DP TOBA

Welding goggles. Flip-up screen. PVC frame. Indirect ventilation. Elastic strap. Clear polycarbonate lens inside.



ASO2

Polycarbonate glasses. Sport design. Polycarbonate/TPR bi-material flexible arms. Nose piece for all shapes. Available in clear & smoke lens.



FUJI2

Polycarbonate single lens glass. Integrated polycarbonate nose piece. Adjustable nylon arms. Side protection. Available in clear & gradient lens.



MEIA

Single lens polycarbonate glasses. Integrated polycarbonate nose piece. Polycarbonate arms. Non-slip PVC tips. Available in clear & smoke lens.

NEW ARRIVALS



WK SG 71019

Soft nose bridge & rubber tipped arms for added comfort. Available in clear & smoke lens.



WK SG 71033

Temples with adjustable length for optimal comfort and fit. Temples with adjustable angle. Available in clear & smoke lens.



WK SG 71045C

Medium impact protection. Soft rubber tipped arms for added comfort. Available in clear & smoke lens.



WK SG 71058

Soft rubber tipped arms for added comfort. Available in clear & smoke lens.



WK SG 71061

Soft rubber tipped arms for added comfort. Sleek and ultra light weight wrap around lens. Available in clear & smoke lens.



WK SG 71061A

UV400, Anti fog. 2 sides of wear resisting coating for glasses. Anti impact. Adjustable glass leg. Available in clear & smoke lens.



WK SG 71062

UV400, Anti fog. 2 sides of wear resisting coating for glasses. Anti impact. Adjustable glass leg. Available in clear & smoke lens.



WK SG 71068

Flip up front design. Flexible PVC frame. Ventilating. Available in clear & smoke lens for different tasks.



**WK SG 71068
(with rope)**

Flip up front design. Flexible PVC frame. Ventilating. Clear & Black PVC lens for different tasks. Available in clear & smoke lens.



WK SG 60625

Full black frame. With impact protection. Soft-grip side arms. Available in clear & smoke lens.



WK-SG-60069

Lightweight, and durable. Indirect ventilation system. Splash resistance. Anti-scratch. Available in clear & smoke lens.





WK05 BELT

PE. Belt and rope. Width: 4.5 cm. Two side waist working D-rings, adjustable buckles with rope and karabiner hook.



WK08 HARNESS

Fall arrester harness. PE. Belt and rope. Support in waist. One dorsal attachment point with connected rope.



WK11 HARNESS

PE Body Harness Belt. One dorsal attachment D-ring, Three rescue D-rings. All adjustable buckles.



WK25 HARNESS

Fall arrester harness. PE. Belt and rope. Support in waist. One scaffolding hook attachment point with connected rope.



WK JS 40 HARNESS

Fall arrester harness. Waist attachment drings can be used in conjunction with vertical anchorage systems & for rescue operations.



WK PM 51 HARNESS (A)

Fall arrester harness. Width: 4.5 cm. One dorsal attachment D-ring. Two waist attachment D-rings.



WK PM 52 LANYARD (B)

Lanyard. Width: 4.5 cm. One karabiner. Two scaffolding hooks.



WK PM 100 HARNESS

Fall arrester harness with lanyard. Width: 4.5cm. One dorsal attachment D-ring. Two waist D-rings attached. One karabiner. Two scaffolding hooks.



WK PM 53 HARNESS

Safety harness with single lanyards & big hooks. (100% PE, 45mm, 1 D ring, 3 adjustable points)



WK PM 54 HARNESS

Safety harness with single lanyards & absorber. (100% PE, 45mm, 3 D ring, 5 adjustable points)



WK PM 55 HARNESS



Safety harness. (100% PE, 45mm, 5 D ring, 6 adjustable points)



Sizes:
HT 6 mtr
HT 8 mtr
HT 10 mtr
HT 20 mtr

FALL ARRESTER

Safety Harness. (100% PE, 45mm, 5 D ring, 6 adjustable points.)





**WL01 RED DB
WL02 AMBER DB**

2 ultra bright LED PS lens.
Yellow PP base.



WL04 FLASH SB

2 ultra bright LED Amber
PC lens.
Yellow PE base



WL03

4r 25 6V each. PC shrink
wrapped.



**WL05 RED SOALR SB
WL06 AMBER SOALR SB**

Solar traffic warning light.
Colour PS lens. PP base.
With plastic handle.



**WL07 RED SOALR DB
WL08 AMBER SOALR DB**

Solar traffic warning light.
Colour PS lens. PP base.



**WL23, WL24, WL25
BATON LIGHTS**

6 LED traffic baton with
top LED.
54cm x 4cm



**WL 28 DUO WARNING
TRAFFIC BATON LIGHT**

Available in green and red
battery & rechargeable models.



85g, 25m/roll 50g, 25m/roll

**WL26, WL 27
WARNING CHAINS**

Plastic. PE material.
Diameter: 8mm, 6mm.
In-length: 38mm, 27mm.
Colour: Red White



PARKING LOCK SOLAR

Material: Metal. Color: Yellow/
Black. Can be used indoors.
Size: 30 x 45 x 50cm



CONVEX MIRROR

Easy to install. Attachable on
wall or pole.
Sizes: 100cm, 80cm,
60c, 45cm.



CAUTION BOARD

Features: Double sided, easy
to move.
Size: 30 x 60cm
Assorted boards available.



**TRAFFIC SIGN DOUBLE
SIDE**

16 rechargeable LEDs.
Material: ABS
Charge: 5hrs, Usage: 6-8hrs



REFLECTIVE TAPE ARROW

Size: 25m x 5cm
Colours: Yellow/Black
Green/Black
White/Blue
Yellow/Red



**WORKMAN 6" ELECTRICAL
BARICADE TAPE**

35 microns. Length: 250m.
Double sided printing.
Printing available in Arabic
& English.



**WT AT3", WT CH 3""
BARICADE TAPE**

3" x 200m warning tapes.
Double sided printing.



**WT AT 3" CAUTION
BARICADE TAPE**

One side printing.
Caution tape.
Material: LDPE



WL09 100 CMS

HDPE cone body and PVC base. 5 kgs



WL10 75 CMS

HDPE cone body and PVC base. 2.5 kgs



WL11 50 CMS

HDPE cone body and PVC base. 2 kgs



WL12 70 CMS

PVC cone, Red cone body & base. 2.3 kgs



WL13 90 CMS

PVC cone, Red cone body & base. 4 kgs



WL14 75 CMS

PU flexible post. 75cm height. 1.4kg.



WL15 80 CMS

HDPE post and rubber base, 2.6 kgs



WL16 120 CMS

HDPE post and rubber base, 2.8 kgs



WL17 80 CMS

HDPE post and rubber base, 2.6 kgs



WL18 100 CMS

HDPE post and rubber base, 2.85 kgs



WL19 115 CMS

LDPE post and black PVC base, 7 kgs



ROAD HUMPS

Assorted road humps and end caps available.



EXPANDABLE BARRIER

Yellow PVC.
Expandable upto 3.50m.
Size: 350 x 30 x 100cm



METAL EXPANDABLE BARRIER

Expadable upto 2m.
Weight: 10 K.G
Size: 200 x 110cm



CROWN TOP BARRIER

Silver & Gold
Size: 98 x 32cm
Material: S.S.
Weight: 6kgs



JACKET WITH WHISTLE

High visibility jacket with a whistle.
Size: Free size



DCP FIRE EXTINGUISHERS

Highest fire rating due to high performance ABC powder. Ready for instant use and simple to operate. Made in China.



CO2 FIRE EXTINGUISHERS

Carbon dioxide in gaseous agent. Provides rapid knock down of industrial fire. It is capable of fighting Class B fire effectively. Made in China.



FOAM FIRE EXTINGUISHERS

Can be used for class A and B fires. Civil defence & KM approved. Made in China.



WET CHEMICAL EXTINGUISHERS

Class K fire extinguishers offer improved fire control for cooking fires. Civil defence & KM approved. Made in China.



HEAT & SMOKE DETECTORS

Smoke detectors respond to slow burning, smoldering fires. Heat detectors are used for applications where smoke detectors are unsuitable. Made in China.



FIRE INDICATORS

Power supply non polar input. Installation environment: Indoor dry occasion. Made in China.



FIRE ALARMS & SIRENS

Quickly and easily installed. Made in China.



FIRE RESISTANT SHIELDED CABLES

Used for: Fire Detection and alarm systems, Public address and voice evacuation systems, & Central battery and emergency lighting.



FIRE ALARM BATTERIES

Available for side, vertical, or upright installation. Long life and low self-discharge rate. Certification : ISO, UL, SGS, Vds



UL LISTED AUTOMATIC FIRE SPRINKLERS & FITTINGS

Designed for use in ordinary hazard occupancies. Chrome, Brass, White painting is available. UL Civil defense approved. Made in China.



LPCB LISTED FIRE HOSE REELS & CABINETS

Manual & Automatic swing fire hose reels available. Cabinets for all type of rose reels. Custom make with different sizes.



VALVES AND PRESSURE GAUGES

Guages for DCP, Foam, Water and Wet Chemical extinguishers. Size: 10mm Made in China.



FIRE BLANKET

Fibre glass cloth. Plastic box. size 4ft x 4ft (1.2 m x 1.2 m) size 4ft x 6ft (1.2 m x 1.8 m) size 6ft x 6ft (1.8 m x 1.8 m)



FIRE BLANKET

Fibre glass cloth. Soft packing. size 4ft x 4ft (1.2 m x 1.2 m) size 4ft x 6ft (1.2 m x 1.8 m) size 6ft x 6ft (1.8 m x 1.8 m)



WASHERS & HOSES

Cavinet and stands available in single or double pieces.

- 3 STEPS
- 4 STEPS
- 5 STEPS
- 6 STEPS
- 7 STEPS
- 8 STEPS
- 9 STEPS
- 10 STEPS
- 12 STEPS
- 14 STEPS



DUAL PURPOSE

Wider bottom for stability. Reinforcing locking hinge. Heavy duty spreader. Tested at 150kgs capacity.

- 4X3 STEPS
- 4X4 STEPS
- 4X5 STEPS
- 4X6 STEPS



MULTIPURPOSE

High quality moulded anti shoes, ribbed anti slip rungs. Tested at 150kg capacity.

- 3X7 STEPS
- 3X8 STEPS
- 3X9 STEPS
- 3X10 STEPS
- 3X11 STEPS
- 3X12 STEPS



TRIPPLE EXT.

Extra strong, corrosion resistant aluminium construction. Tested at 150kgs capacity.

- 6 STEPS
- 8 STEPS
- 10 STEPS
- 12 STEPS
- 14 STEPS
- 16 STEPS
- 18 STEPS
- 20 STEPS
- 22 STEPS



ALUMINIUM STRAIGHT SINGLE & EXT

High quality moulded anti slip shoes, stabilizer. Tested at 150kg capacity.

- 8+8 STEPS
- 10+10 STEPS
- 12+12 STEPS
- 14+14 STEPS
- 16+16 STEPS
- 18+18 STEPS
- 20+20 STEPS



HEAVY DUTY ALUMINIUM STRAIGHT SINGLE & EXT

High quality moulded anti slip shoes, stabilizer. Tested at 150kg capacity.

- 6 STEPS
- 8 STEPS
- 9 STEPS
- 10 STEPS
- 12 STEPS



TELESCOPIC

Folding telescopic aluminium A-Frame ladder with sturdy hinges.

- 4 STEPS
- 5 STEPS
- 6 STEPS
- 7 STEPS
- 8 STEPS
- 9 STEPS
- 10 STEPS



FIBRE GLASS A-TYPE SINGLE SIDE

Fibre glass ladder crimped, heavy duty extruded rung with double locks. Anti-static and fire retardant.

- 6 STEPS
- 7 STEPS
- 8 STEPS
- 9 STEPS
- 10 STEPS
- 11 STEPS
- 12 STEPS
- 14 STEPS
- 16 STEPS



FIBRE GLASS A-TYPE DOUBLE SIDE

Fibre glass ladder crimped, heavy duty extruded rung with double locks. Anti-static and fire retardant.

- 6+6 STEPS
- 8+8 STEPS
- 10+10 STEPS
- 12+12 STEPS
- 14+14 STEPS
- 16+16 STEPS
- 18+18 STEPS
- 20+20 STEPS
- 22+22 STEPS



FIBRE GLASS STRAIGHT SINGLE & EXT.

Fibre glass ladder crimped. Shoes with wider slip resistant pad, anti-static & fire retardant.



+971 557983435
+971 557983433
+971 4 2243320



alanwarj@eim.ae



smbtrd2@gmail.com



<https://www.smbtrd.com/>

